



Initially titled 'Hereabouts' and included in *Distance etc.* (1999); *Englishpublishing* (2004); *Uniformmagazine* no.7 (2016); and *Printed landscape* (2019).

16pp, 220 x 220, digital on recycled cartridge, buff board cover, sewn pamphlet; Axminster, 2009.

short small tre-arddur west ... are cliffs
hereabouts highest holyhead in islands south
stack two ... allt and coastal composed conway
low-lying mountain of ordovician rocks strip to
volcanic wen ... almost carboniferous cliffs
horizontally-bedded in limestone ... and bay
colwyn great head little orme penmaen tan ...
are beach bunter cliffs dingle facing liverpool
low marine-eroded mersey mottled of point
sandstone south upper ... along alt and
blundellsands by changed characteristic coast
course erosion expanse flowing foreshore
formally frequently its led of river sand serious
shore this to wide ... and carboniferous
composed escarpment estuary fault head is
leven limestone of park rocks silurian
topography ... above and are below between
boulder-clay clay cliffs foreshore glacial gravel
gutterby hill laminated loamy mainly material
miles north of on probably rest sand silecroft
spa summer they two with ... annaside banks
boulder-clay cliffs erosion in of ... and are at
by deflected details drigg esk eskmeals estuary
evolution form in irt its mite north obscure of
part point sands sand-spit single south to ...
and are beach beck beneath boulder-clay by
capped cliffs course distant formed glacial
gravels hill is isolated mid-glacial now of old
on reaches resting rottington sands sandstone
sea scar small stbees storm through turns
westward ... boulders coast form head large
of one scars stbees this ... age cliffs in of

sandstone stbees triassic well-bedded ... and
beach between boulder-clay bowness bridge by
foreshore marine narrow of raised road solway
strip warp with ... forshore greens group
haven in limestone middle of strata syncline
... bamburgh castle dunes knoll on rocky sand
stands surround that which ... and beadnell
behind dyke foreshore harbour limestone north
of sandbanks sandstone underlying whin white
... bay beadnell dunes ... and castle craster dip
dunstanburgh harbour of scarp sill slopes small
whin ... and columnar contorted cullernose
limestone point whin ... alnmouth at bay end
far harbour of to warkworth ... bedded caves
holey limestones permian rock roker upper
thin with ... bedded black caves hall
limestones permian rocks with ... bedded black
brecciated dolomites hall in limestones on
permian reef rocks same stack succession ...
at base boulby boulder- clay cliffs lias lower
middle nab show staithe ... and cliffs fine lias
north staithe thereof ... alum and beck bed
beds cliff dogger eller estuarine foreshore
forms highest is jet lias mulgrave near of part
port rock shales top upper with ... bay
runswick ... alum and are at bay beds black
cliff cliffs dogger estuarine exposed floor foot
forming is jet lias lowest nab of old only
opposite outlying platform rock saltwick
sandstone shale stacks tides upper works ...
and backed bay boulder-clay by cliffs enclosed
fine fylingdales give hood's ledges lias lofty

moor north of place robin south steep sweeps
to which within ... and at beds cliffs cornbrash
clay corallian dipping gently in nab oxford yons
... bay filey ... flamborough head ... blow-hole
boulder-clay chalk covered flamborough
formed head is of with ... active boulder-clay
cliffs coast erosion grimston holderness in of
... head spurn ... eroded forshore lincolnshire
near sutton ... and beach coast cusps dunes
lincolnshire ... gibraltar point ridges sand
skegness ... at holbeach low mud-flats outfall
stmatthew tide welland ... at base bed
carstone chalk cliffs greensand hunstanton
lower red sponge white ... head island scolt
... and head island laterals marsh salt scolt
shingle ... and holkham marshes natural
reclaimed wells-next-the-sea woods ...
blakeney church marshes morston ... and are
cliffs common fallen glacial gradually material
materials of removes sea sherringham slips
... boulder-clay cliffs coast in norfolk on
overstrand ... bacton by cliffs erosion exposed
medieval of wall ... sand-dunes winterton
... by deflected great is mouth of spit yare
yarmouth ... beach benacre broad by dammed
sea ... beach minsmere ... alde at ness orford
river slaughden ... haven ness orford ... clay
estuary foreshore freston hall london on orwell
... and colne marshes point salt sand spit ...
mersea west ... creek low mud-flats ray ridge
sand tide ... at coast kent north reculver ...
and are by church defences erosion is preserved

reculver sea severe strong towers ... and at
bay birchington chalk cliffs erosion exposed
foreshore gently low of sloping tide ...
birchington chalk cliffs ... and at chalk cliffs
in folkestone landslips steep warren ... by
dungeness growth picked of out ridges shingle
vegetation ... alluvial and ashdown former
gate marsh meadow of sand sea-cliff strand
winchelsea ... abandoned along altered and
coast guards level much near new now pett
sea-cliff sea-wall station ... and ashdown clay
cliffs fairlight formed glen hastings of sand
south-east ... ashdown below cliffs cut
ecclesbourne glen hastings in is ravine sand ...
birling chalk cliffs gap near seven sisters ... as
estuary harbour impounding known pagham
sandspits shallow ... channel chichester ...
at estuary hamble low tide ... beaulieu estuary
in marsh of river salt spartina ... at keyhaven
marshes salt ... and at castle hurst keyhaven
marshes salt spit ... barton bay christchurch
eastern of part sands ... beds country dune
harbour heath of on poole sandy side south
studland tertiary ... and chalk cliffs foreland in
point stacks vertical ... coast dorset eastwards
from lulworth ... cove east forest fossil
lulworth of ... and coast cove dorset lulworth
of to west ... chalk cliffs coast door dorset
durdle from west ... beach chesil ... and
bridport cliff inferior of oolite sands ... bay cap
golden lyme ... and black coastal forward gault
greensand landslips lias lower over sliding ven